#whdentalwerk
video.wh.com

Now at
your dealer
or **wh.com**

Product **catalogue**

2022

valid from 01.01.2022

Explanation of symbols

led+ with ring LED+ light

led with LED light

led+ with LED+ light

with light

without light

integrated spray

external spray

without spray

thermo washer disinfectable

135°C sterilizable

disposable article

LATEX latex-free

foot control with cable

wireless foot control

Table of contents

Restoration & Prosthetics	4-29
Endodontics	30-35
Prophylaxis & Periodontology	36-73
Oral surgery & Implantology	74-115
Drive	116-135
Sterilization, Hygiene & Maintenance	136-179
Dental laboratory	180-185
Osstell	186-189

Important information

- Pictures are for illustrative purposes only. Additional equipment and accessories shown are not included as standard.
- KaVo Multiflex®, NSK Mach®, NSK QD-J®, BienAir Unifix® and Sirona® are trademarks of third parties not affiliated with W&H Dentalwerk Bürmoos GmbH

Primea Advanced Air

Explanation of Symbols

- led+ — with ring LED+ light
- led+ — with LED+ light
- with light
- integrated spray
- thermo washer disinfectable
- 135°C — sterilizable

primea
advanced air

Primea Advanced Air:
The world's first air-driven high-speed drive solution with an adjustable bur speed to provide constant removal rate, even with increasing pressure.

led+

Ring LED+, up to 30 W
5-fold spray, head size Ø 10 mm,
press-button chuck system for FG burs
Ø 1.6 mm

RK-97 L
(Roto Quick connection*)
REF 30221000

led+

LED+, up to 30 W
5-fold spray, head size Ø 10 mm,
press-button chuck system for FG burs
Ø 1.6 mm

RG-97 L
(Roto Quick connection*)
REF 30222000

For the full range of Primea Advanced Air, the
Add-on or Built-in Kit will be required. See page 126

* Roto Quick couplings RQ-24 or RQ-34

Synea Vision

Explanation of Symbols

- led+ — with ring LED+ light
- led+ — with LED+ light
- with light
- integrated spray
- thermo washer disinfectable
- 135°C — sterilizable

The new range of Synea Vision turbine handpieces:
Innovative technology and a comprehensive range of products for the highest demands.

Turbine handpieces

led+

Ring LED+, 5-fold spray, 26 W,
head size Ø 13mm

TK-100 L
REF 30021000

led+

Ring LED+, 5-fold spray, 24 W,
head size Ø 11,5mm

TK-98 L
REF 30019000

led+

Ring LED+, 5-fold spray, 21 W,
head size Ø 10 mm

TK-97 L
REF 30017000

led+

LED+, 5-fold spray, 14 W,
head size Ø 9 mm

TK-94 L
REF 30016000

Turbine handpieces with Multiflex® connection*

glass rod, 5-fold spray, 26 W,
head size Ø 13 mm

TK-100 LM
REF 30022000

glass rod, 5-fold spray, 24 W,
head size Ø 11,5 mm

TK-98 LM
REF 30020000

glass rod, 5-fold spray, 21 W,
head size Ø 10 mm

TK-97 LM
REF 30018000

glass rod, 5-fold spray, 14 W,
head size Ø 9 mm

TK-94 LM
REF 30031000

Roto Quick couplings RQ-24 / RQ-34 see page 118

* W&H coupling RM-34 LED see page 119

Synea Vision

Restoration & Prosthetics

Contra-angle handpieces

1:5, 5-fold spray, head size Ø 9,5mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-99 LT
(ceramic ball bearings)
REF 30023000

1:4,5, 5-fold spray, head size Ø 9,1 mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-93 LT
(ceramic ball bearings)
REF 30024000

1:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm,glass rod

WK-56 LT
REF 30025000

2:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm,glass rod

WK-66 LT
REF 30026000

8:1, single spray, head size Ø 9,5mm,
press-button chuck system for
contra-angle burs Ø 2,35 mm, glass rod

WK-86 LT
REF 30027000

Straight handpiece

1:1, single spray, Twist tension chuck system
for handpiece and contra-angle burs
Ø 2.35 mm, glass rod

HK-43 LT
REF 30028000

1:5, 5-fold spray, head size Ø 9,5mm, press-button chuck system for FG burs Ø 1,6 mm, glass rod

WK-99 LT S
(ceramic ball bearings)
REF 30215000

1:4,5, 5-fold spray, head size Ø 9,1 mm, press-button chuck system for FG burs Ø 1,6 mm, glass rod

WK-93 LT S
(ceramic ball bearings)
REF 30216000

1:1, single spray, head size Ø 9,5 mm, press-button chuck system for contra-angle burs Ø 2,35 mm, glass rod

WK-56 LT S
REF 30217000

2:1, single spray, head size Ø 9,5 mm, press-button chuck system for contra-angle burs Ø 2,35 mm, glass rod

WK-66 LT S
REF 30218000

Restoration & Prosthetics

Synea Fusion

Explanation of Symbols

- led+ with LED light
- with light
- without light
- integrated spray
- thermo washer disinfectable
- 135°C sterilizable

Synea Fusion –
be assured with proven
Synea quality
at an outstanding price

Turbine handpieces

Quattro Spray, 21 W,
head size Ø 11,5 mm,

TG-98 L
(for RQ-24 / RQ-34*)
REF 30001000

TG-98 L RM
(standard 6-hole connection)
REF 30198000

TG-98
(for RQ-03 / RQ-04 / RQ-14*)
REF 30002000

Quattro Spray, 18 W,
head size Ø 10 mm,

TG-97 L
(for RQ-24 / RQ-34*)
REF 30004000

TG-97 L RM
(standard 6-hole connection)
REF 30197000

TG-97
(for RQ-03 / RQ-04 / RQ-14*)
REF 30005000

* Roto Quick couplings see page 116

glass rod, Quattro Spray,
21 W, head size Ø 11,5 mm,

TG-98 LW
for RA-24 / RA-25
REF 30202001

glass rod, Quattro Spray, 18 W,
head size Ø 10 mm

TG-97 LW
(for RA-24 / RA-25)
REF 30201001

Quick couplings for Synea Fusion turbine handpiece TG-97/98 LW

standard 6-hole connection, for Synea Fusion turbine handpiece TG-97/98 LW

RA-24
REF 10402424

5-hole connection (with light), glass rod, for Synea Fusion turbine handpiece TG-97/98 LW

RA-25
REF 10402525

turbine handpieces with NSK connection

glass rod,
Quattro Spray, 21 W,
head size Ø 11,5 mm

TG-98 L N
REF 30200000

glass rod,
Quattro Spray, 18 W,
head size Ø 10 mm

TG-97 L N
REF 30199000

turbine handpieces with Multiflex® connection*

glass rod,
Quattro Spray, 21 W,
head size Ø 11,5 mm

TG-98 LM
REF 30003000

glass rod,
Quattro Spray, 18 W,
head size Ø 10 mm

TG-97 LM
REF 30006000

* W&H coupling RM-34 LED see page 119

Contra-angle handpieces

1:5, Quattro Spray, head size Ø 9,5 mm, press-button chuck system for FG burs Ø 1,6 mm, glass rod

WG-99 LT
REF 30007000

WG-99 A
REF 30008000

1:1, single spray, head size Ø 9,5 mm, press-button chuck system for contra-angle burs Ø 2,35 mm, glass rod

WG-56 LT
REF 30009000

WG-56 A
REF 30010000

2:1, single spray, head size Ø 9,5 mm, press-button chuck system for contra-angle burs Ø 2,35 mm, glass rod

WG-66 LT
REF 30011000

WG-66 A
REF 30012000

1:1, press-button chuck system, head size Ø 9,5 mm, for FG burs Ø 1.6 mm, glass rod

WG-57 LT
REF 30212001

Straight handpiece

1:1, single spray, Twist tension chuck system for handpiece and contra-angle burs Ø 2.35 mm

HG-43 A
REF 30013000

Reciprocating contra-angle handpieces

Profin® contra-angle handpiece 2:1, single spray, stroke 1.1 mm,for Dentatus tips

WG-67 LT
REF 30084000

WG-67 A
REF 30085000

Restoration & Prosthetics

Alegra

Explanation of Symbols

- led+ with LED+ light
- led with LED light
- with light
- without light
- integrated spray
- without spray
- thermo washer disinfectable
- 135°C sterilizable

Discover the new Alegra turbines with extremely quiet operation for daily use in your practice.
Designed to meet your needs with state-of-the-art technology. Made in Austria: For your best treatment results.

turbine handpieces with ceramic ball bearings and light

triple spray, 18 W,
head size Ø 12.2 mm

TE-98 LQ
REF 30067000

triple spray, 16 W,
head size Ø 10.4 mm

TE-97 LQ
REF 30066000

Roto Quick couplings with generator for Alegra turbine handpieces TE-97/98 LQ

Borden 2-hole connection, generator and water filter with resuction stop

RQ-53
REF 10405300

standard 4-hole connection, generator and water filter with resuction stop

RQ-54
REF 10405400

Turbine handpieces with ceramic ball bearings, without light

triple spray, 18 W,
head size Ø 12.2 mm

TE-98
(for RQ-03 / RQ-04 / RQ-14*)
REF 30071000

TE-98 BC
(Borden 2-hole connection)
REF 30072000

TE-98 RM
(Standard 4-hole connection)
REF 30073000

triple spray, 16 W,
head size Ø 10.4 mm

TE-97
(for RQ-03 / RQ-04 / RQ-14*)
REF 30068000

TE-97 BC
(Borden 2-hole connection)
REF 30069000

TE-97 RM
(Standard 4-hole connection)
REF 30070000

Turbine handpieces with steel ball bearings, without light

triple spray, 18 W,
head size Ø 12.2 mm

TE-95 BC
(Borden 2-hole connection)
REF 30074000

TE-95 RM
(Standard 4-hole connection)
REF 30075000

* Roto Quick couplings see page 116

Contra-angle and straight handpieces, sleeve outer diameter 20 mm

1:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56
REF 30116000

1:1, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-57
REF 30117000

4:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-66
REF 30118000

1:1, Twist tension chuck system for handpiece and contra-angle burs Ø 2.35 mm

HE-43
REF 30119000

Contra-angle handpieces, with generator

1:4,5, triple spray, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-99 LED G
REF 10259900

1:1, single spray, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56 LED G
REF 10255600

4:1, single spray, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-66 LED G
REF 10256600

1:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56 T
REF 30120000

1:1, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-57 T
REF 30121000

4:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-66 T
REF 30122000

1:1, Twist tension chuck system for handpiece and contra-angle burs Ø 2.35 mm

HE-43 T
REF 30123000

Contra-angle and straight handpieces, sleeve outer diameter 18 mm

1:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56 T MW Midwest handpiece connection*
REF 30124001
WE-56 T SD Star Dental handpiece connection **
REF 30127001

1:1, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-57 T MW Midwest handpiece connection*
REF 30125001
WE-57 T SD Star Dental handpiece connection **
REF 30128001

1:1, Twist tension chuck system for handpiece and contra-angle burs Ø 2.35 mm

HE-43 T MW Midwest handpiece connection*
REF 30126001
HE-43 T SD Star Dental handpiece connection**
REF 30129001

* W&H airmotors with Midwest handpiece connection: AM-20 MW RQ/ RM, AM-05 MW RQ/ RM (see page 124)
** W&H airmotors with Star Dental handpiece connection: AM-20 SD RQ/ RM, AM-05 SD RQ/ RM (see page 125)

coupling seal BC
REF 01000700
coupling seal RM
REF 02207300



short nozzle cleaner
for turbine, contra-angle
and straight handpieces
REF 02015101

O-ring set
for Roto Quick couplings
REF 07508900

Torque wrench
for replacing the rotor
REF 07508800

Generator for RQ-53
REF 06840300
Generator for RQ-54
REF 06793000

Water filter with resuction stop
for BC connections
REF 07092500
for RM connections
REF 07095500

Rotor with hexagon wrench for TE-98 LQ, TE-98, TE-98 BC, TE-98 RM
REF 06787500
for TE-97 LQ, TE-97, TE-97 BC, TE-97 RM
REF 07234100
for TE-95 RM
REF 07495400
for TE-95 BC
REF 07507300

Push-button
for TE-95 RM, TE-95 VC,
TE-98, TE-98 RM, TE-98 BC
REF 06641900
for TE-97, TE-97 RM, TE-97 BC
REF 07548000

Parts available after sale for Alegra turbine handpieces

Bur extension
REF 01312500

Threaded pin
REF 01312600

Contra-angle head
for WE-56
REF 07549900
for WE-57
REF 07550000
for WE-66
REF 07550100

SMARTREPAIR

Tool kit for replacing
of contra-angle heads
REF 07550300

Spray clip with 3 coolant
hoses and nozzle cleaner for
straight handpiece HE-43
REF 07550200

Spray clip with 3 coolant hoses and
nozzle cleaner for contra-angle
handpieces WE-56, WE-57, WE-66
REF 06994000

Parts available after sale for Alegra contra-angle and straight handpieces

Accessories for Alegra contra-angle and straight handpieces

Low-speed set

consists of:
- WE-56 T
- HE-43 T
- AM-20 RM

Low-speed set 1 RM
REF 90000123

consists of:
- WE-56 T
- HE-43 T
- AM-20 BC

Low-speed set 1 BC
REF 90000124

High-speed set

consists of:
- TE-95 RM
- WE-56 T
- HE-43 T
- AM-20 RM
- Nozzle cleaner

High-speed set 1 RM
REF 90000125

consists of:
- TE-95 BC
- WE-56 T
- HE-43 T
- AM-20 BC
- Nozzle cleaner

High-speed set 1 BC
REF 90000126

Accessories

Place for 17 turbine handpieces,
contra-angle and straight handpieces,
3 micromotors,
2 couplings

Transportation and presentation case, big
REF 06505300

Place for 7 turbine handpieces,
contra-angle and straight handpieces

Transportation and presentation case, small
REF 06240900

endea

Endea

Explanation of Symbols

- without light
- without spray
- thermo washer disinfectable
- sterilizable

The Endea contra-angle handpieces with their extra small heads provide even better access to the treatment area.
Root canal preparation with 360° rotation is possible using both the Crown-down and the Single-length techniques.

Contra-angle handpieces

16:1,
press-button
chuck system

EB-75
REF 12227501

2:1,
press-button
chuck system

EB-79
REF 12227901

Suitable inserts

All root canal files, suitable for 360° rotation, particularly nickel-titanium files with shank diameter 2.35 mm, according to EN ISO 1797-1:1995.

Re-order files

Please re-order files at your responsible dental dealer or directly at Sendoline (www.sendoline.com).

endo niti

Endo NiTi

Explanation of Symbols

- without light
- without spray
- thermo washer disinfectable
- sterilizable

For the preparation of the root canal with rotating NiTi files.

Contra-angle handpieces

70:1,
press-button
chuck system

WD-73 M
REF 10217302

128:1,
press-button
chuck system

WD-74 M
REF 10217402

Suitable inserts

All root canal files, suitable for 360° rotation, particularly nickel-titanium files with shank diameter 2.35 mm, according to EN ISO 1797-1:1995.

Re-order files

Please re-order files at your responsible dental dealer or directly at Sendoline (www.sendoline.com).

Endo Cursor

Explanation of Symbols

- without light
- without spray
- thermo washer disinfectable
- sterilizable

4:1, press-button chuck system,
for root canal hand files with shank diameter
3.6 – 4.0 mm

EB-62
REF 12226201

For the mechanical preparation of the root canal with hand files.

Piezo Scaler Proxeo Ultra

PB-510 / 520 / 530

Explanation of Symbols

compatibility with pacemakers

The new Proxeo Ultra piezo scalers from W&H were developed in collaboration with prophylaxis professionals and really live up to their name. Exclusive user advantages allow ultra efficient treatment.

PB-530

Set PB-5 L Q
(with W&H Q-link - quick connection)
REF 90000258
Set PB-5 L
(with W&H / EMS / Mectron standard thread)
REF 90000257
Set PB-5 L S
(with W&H/Satelec/NSK thread)
REF 90000297

- Control unit PB-530 with coolant tank, switch-mode power supply and 1.8 m supply hose
- Foot control C-NW
- Cable (pairing/charging) for C-NW

Set PB-5 L Q
- Handpiece PB-5 L Q
- Tips: 1U, 2U, 1P, 1I incl. tip exchanger with torque limitation

Set PB-5 L
- Handpiece PB-5 L
- Tips: 1U, 2U, 1P, 1I incl. tip exchanger with torque limitation

Set PB-5 L S
- Handpiece PB-5 L S
- Tips: 1US, 2US, 3US, 1PS incl. tip exchanger with torque limitation

PB-520

Set PB-5 L Q
(with W&H Q-link - quick connection)
REF 90000256
Set PB-5 L
(with W&H / EMS / Mectron standard thread)
REF 90000255
Set PB-5 L S
(with W&H/Satelec/NSK thread)
REF 90000296

- Control unit PB-520 with coolant tank, switch-mode power supply and 1.8 m supply hose
- Foot control C-NF

Set PB-5 L Q
- Handpiece PB-5 L Q
- Tips: 1UQ, 2UQ, 1PQ incl. tip exchanger with torque limitation

Set PB-5 L
- Handpiece PB-5 L
- Tips: 1U, 2U, 1P incl. tip exchanger with torque limitation

Set PB-5 L S
- Handpiece PB-5 L S
- Tips: 1US, 2US, 1PS incl. tip exchanger with torque limitation

Set with Proxeo TWIST Cordless on page 66

PB-510

Set PB-5 L Q
(with W&H Q-link - quick connection)
REF 90000254
Set PB-5 L
(with W&H / EMS / Mectron standard thread)
REF 90000253
Set PB-5 L S
(with W&H/Satelec/NSK thread)
REF 90000295

- Control unit PB-510 with coolant hose and filter, switch-mode power supply and 1.8 m supply hose
- Foot control C-NF

Set PB-5 L Q
- Handpiece PB-5 L Q
- Tips: 1UQ, 2UQ, 1PQ incl. tip exchanger with torque limitation

Set PB-5 L
- Handpiece PB-5 L
- Tips: 1U, 2U, 1P incl. tip exchanger with torque limitation

Set PB-5 L S
- Handpiece PB-5 L S
- Tips: 1US, 2US, 1PS incl. tip exchanger with torque limitation



PB-5 L Q
(with W&H Q-link - quick connection)
REF 30327000



PB-5 L (W&H)
(with W&H / EMS / Mectron standard thread)
REF 30326000



PB-5 L S
(with W&H/Satelec/NSK thread)
REF 30328000

Proxeo Ultra **control units**



Control unit PB-530 with coolant tank, switch-mode power supply, supply hose and Cable (pairing/charging) for C-NW
REF 30325000



Control unit PB-520 with coolant tank, switch-mode power supply and supply hose
REF 30324000



Control unit PB-510 with coolant hose and filter, switch-mode power supply and supply hose
REF 30323000

Accessories for PB-530 / PB-520

Tank
REF 07991190

For PB-530 / PB-520

o-ring for coolant tank
REF 07960870

pump cartridge
REF 08001660

For PB-530 / PB-520 / PB-510

O-ring for hose coupling
REF 02060203

for Proxeo Ultra PB-520 / PB-510

C-NF foot control
REF 04717300

For PB-510



Coolant hose
REF 05075600



Coolant filter
REF 02675000

For PB-530

Foot control C-NW
REF 30316000

Cable (pairing/charging) for C-NW
REF 08014700

For handpieces PB-5

LED socket (3 pcs) incl. handpiece cap
REF 08025210



Long nozzle cleaner
REF 00636901

For Prophylaxis

- Removal of sub- and supragingival calculus in all quadrants
- The entire treatment can be carried out without the tedious job of changing tips

Universal 1UQ with tip changer
REF 08023920
Universal 1U with tip changer
REF 05076200*
Universal 1US with tip changer
REF 07983820

- Visibly longer and narrower 2U tips
- Treatment of recall patients
- For fine finishing
- Fine scaling of supragingival calculus
- Removal of plaque

Universal 2UQ with tip changer
REF 08023930
Universal 2U with tip changer
REF 05076300*
Universal 2US with tip changer
REF 07983830

- Slightly rounded and also particularly narrow and short
- Fine scaling in the supragingival region
- Ideal instrument for cleaning the interdental spaces

Universal 3UQ with tip changer
REF 08023940
Universal 3U with tip changer
REF 05368200*
Universal 3US with tip changer
REF 07983850

- Perfect tip for removing large areas of calculus

Universal 4U
with tip changer
REF 05849201

Tip description:	
1U without S or Q	1U for W&H / EMS / Mectron standard thread
1US	1U for W&H / Satelec / NSK thread
1UQ	1U for W&H Q-link (quick connection)

* also for Pyon 1 suitable

For supportive periodontitis treatment (SPT), recall and biofilm management

- Removal of concretions in the subgingival region
- Especially suitable for the treatment of deep periodontal pockets

Periodontology 1PQ
with tip changer
REF 08023950
Periodontology 1P
with tip changer
REF 05370400*
Periodontology 1PS
with tip changer
REF 07983860

- Recommended for maintenance treatment on medium-depth to deep pockets as well as furcations

Periodontology 3PrQ
with tip changer
REF 08023960
Periodontology 3Pr
with tip changer
REF 06364900
Periodontology 3PIQ
with tip changer
REF 08023980
Periodontology 3PI
with tip changer
REF 06365000

For initial periodontitis treatment and removal of concretions

- Diamond-coated tip for cleaning the root surface

Periodontology 4PQ
with tip changer
REF 08024010
Periodontology 4P with tip changer
REF 07965670
Periodontology 4PS with tip changer
REF 07983870



- Diamond-coated tip for cleaning furcations and concavities

Periodontology 5PQ
with tip changer
REF 08024040
Periodontology 5P with tip changer
REF 07965600

For initial periodontitis treatment

- Diamond-coated tip for cleaning the root surface

Periodontology 5PrQ with tip changer
REF 08024020
Periodontology 5Pr with tip changer
REF 07965660
Periodontology 5PIQ with tip changer
REF 08024030
Periodontology 5PI with tip changer
REF 07965620

- Expanding of fissures

Restoration 1R with tip changer
REF 05849401

- Diamond-coated tip for veneer preparation
- For clearly defined preparation margins
- Maximum protection of the gingiva and the neighbouring tooth

Restoration 2R with tip changer
REF 06368400

For Restoration

- Part-diamond tips for finishing approximal mesial cavity edges

Restoration 3Rm with tip changer
REF 06368500

- Part-diamond tips for finishing approximal distal cavity edges

Restoration 3Rd with tip changer
REF 06368600

- Non-cutting instrument for effective rinse activation in the root canal system

Endodontie 1ES with spanner
REF 07983880
Endodontie 1E with spanner
REF 06367900



- Tip for lateral thermal condensation of gutta-percha

Endodontics 2E with spanner
REF 06368000

- Removing of broke instruments in the root canal

Endodontics 3E with spanner
REF 06368100

- Preparation of the pulp chamber

Endodontics 4E with spanner
REF 07812300

For Endodontics

- Vibrating and removal of root canal posts

Endodontics 5E with tip changer
REF 07812400

- Removal of root canal fillings and root canal calcifications

Endodontics 6E with spanner
REF 07812500

Piezo tips

consists of:
- tip 1U, 3U, 1P (1 pc)
- tip changer withtorque limitation (3 pcs)
- tip card

universal tip set
REF 05851800*

consists of:
- tip 1I (3 pcs)
- tip changer with
- torque limitation (3 pcs)

implant clean tip set (3x 1IQ)
REF 08026380
implant clean tip set (3x 1I)
REF 06370500



consists of:
- tip 1E, 2E, 3E, 4E, 5E, 6E (1pc)
- spanner (1 pc)
  for tip 1E, 2E, 3E, 4E, 6E
- tip changer with
  torque limitation (1 pc) for tip 5E
- tip card

endo tip set
REF 07812200



tip changer with torque limitation

TW-1: for tips with W&H thread (z.B. 1U, 2U)
REF 04982800
TS-1: for tips with Satelec thread (z.B. 1US, 2US)
REF 07984290
TQ-1: for tips with W&H Q-Link (quick connection)
REF 07985850

Sets

Accessories

Notes

Air scaler

Explanation of Symbols

- with light
- without light
- integrated spray
- thermo washer disinfectable
- sterilizable

Fast, gentle, powerful.
The air-driven scaler with the integrated spray and two large optic outlets is ideal for the removal of plaque and calculus as well as cleaning root surfaces. The result: your patients feel better in general and more self-confident thanks to their clean teeth surfaces.

Prophylaxis & Periodontology

With Roto Quick connection*

with tips 1AU, 2AU, 3AU and 1AP;
tip changer, nozzle cleaner,
small cleaning brush and tip card

ZA-55
REF 10035501

* Roto Quick couplings see page 116

With Multiflex® connection*

with power regulation and tips
1AU, 2AU, 3AU and 1AP; tip changer, nozzle cleaner, small cleaning brush and tip card

ZA-55 LM
REF 10035502

with tips 1AU, 2AU, 3AU and 1AP;
tip changer, nozzle cleaner,
small cleaning brush and tip card

ZA-55 M
REF 10035503

* coupling with LED light see page 119

With fixed connection

with tip 1AU (2 pcs), open-ended spanner,
nozzle cleaner,small cleaning brush and tip card

ZE-55 BC
REF 11015500

with tip 1AU (2 pcs), open-ended spanner,
nozzle cleaner,small cleaning brush and tip card

ZE-55 RM
REF 11015501

With Sirona® connection

with power regulation and tips 1AU, 2AU, 3AU and 1AP; tip changer, nozzle cleaner, small cleaning brush and tip card

ZA-55 LS
REF 30227000

Tips

universally applicable, also for curved molar surfaces with lingual inclination

tip 1AU with tip card
REF 07159700

for anterior teeth of the lower jaw, lingual surfaces and in cases of stubborn adhesion of thick, hard collars of dental calculus

tip 2AU with tip card
REF 07159800

for removing plaque from the neck of the tooth and removing nicotine stains

tip 3AU with tip card
REF 07159900

removal of subgingival deposits, especially suitable for deep periodontal pockets

tip 1AP with tip card
REF 07009100

tip for removal of subgingival deposits.
Right-curved and leftcurved models available

tip 2APr with tip card
REF 05254400

tip for removal of subgingival deposits.
Right-curved and leftcurved models available

tip 2APl with tip card
REF 05153300

With a diamond coating on the instrument tip for periodontal debridement of furcations and concavities.

tip 3AP with tip card
REF 05280200

Prophylaxis & Periodontology

tip changer
REF 07308100



open-ended spanner SW4
REF 04510700



long nozzle cleaner
REF 00636901

small cleaning brush
REF 05452400

BC **RM**

coupling seal BC
REF 01000700
coupling seal RM
REF 02207300

Parts available after sale

Prophylaxis & Periodontology

Air Polishing System

Proxeo Aura –
Air Polishing System
This system with an air polishing handpiece and the corresponding powders allows you to remove supra- and subgingival biofilm, as well as stains efficiently, thoroughly and under control.

Proxeo Aura prophy set
- Air polishing handpiece
- Spray head 120°
- Prophylaxis Powder SOFT+ (250 g)
- Accessories

Connection
PF-60 (W&H RotoQuick)
REF 08020760
PF-60 M (Kavo Mulitflex)
REF 08020770
PF-60 N (NSK)
REF 08020780
PF-60 S (Sirona)
REF 08020790

Proxeo Aura perio set*
- Air polishing handpiece
- Spray head 120°
- Spray head perio
- Subgingival perio tips (40 pcs)
- Prophylaxis Powder SOFT+ (250 g)
- Prophylaxis Powder SENSITIVE+ (160 g)
- Accessories

Connection
PF-60 (W&H RotoQuick)
REF 08020761
PF-60 M (Kavo Mulitflex)
REF 08020771
PF-60 N (NSK)
REF 08020781
PF-60 S (Sirona)
REF 08020791

Sodium Bicarbonate, 4×250 g,
Ø Particle size: 40 µm

Prophylaxis Powder SOFT+
REF 08020870

Calcium Carbonate, 4×250 g,
Particle size: 45–75 µm

Prophylaxis Powder SMOOTH
REF 08020880

Glycine, 2×160 g, Ø Particle size: 25 µm

Prophylaxis Powder SENSITIVE+
REF 08020890

* only available in EEA+CH

Spray head 120°
REF 08020810

Spray head short 120°
REF 08020840

Spray head 90°
REF 08020800

Spray head short 90°
REF 08020830

Spray head perio
REF 08020820

Spray head short perio
REF 08020850

Subgingival perio tips (40 pcs)
REF 08020860

O-ring set 1 green, 2 black
REF 08020900



Cleaner set 1 needle 0.8 mm, 1 needle 0.4 mm, 1 brush
REF 08020910

Cap for powder container (incl. 1 O-ring green)
REF 08020920

K9 wrench
REF 08020930

Contra-angle and straight handpieces

Explanation of Symbols

- without light
- without spray
- thermo washer disinfectable
- sterilizable
- latex-free
- disposable article

Rotary polishing system

In modern dental treatment, the professional, mechanical removal of plaque and biofilm is an integral part of the prophylaxis workflow. With Proxeo TWIST, W&H offers a compact, easy to handle solution for everything you need, no matter whether it is cleaning, polishing or fluoridating!

For LatchShort System

For cups and brushes with 2,35 mm shank

4:1, contra-angle handpiece system LatchShort for all W&H LatchShort Prophy Cups / -Brushes

WP-66 W
REF 30189000

soft / apple green
LatchShort

Prophy Cups
144 pcs REF 08003630

firm / dark green
LatchShort

Prophy Cups
144 pcs REF 07597900

cup-shaped
soft / clear
LatchShort

Prophy Brushes
144 pcs REF 08003650

4:1, contra-angle handpiece for all cups, brushes and Snap-on adaptor with 2,35 mm shank

WP-66 M
REF 30190000

4:1, contra-angle handpiece system UNIVERSAL with Snap-on adaptor and key for all standard Screw-in cups, brushes and Snap-on adaptor

WP-64 MU
REF 10216443

4:1, contra-angle handpiece system YOUNG with key, for YOUNG Screw-in cups and brushes

WP-64 M
REF 10216403



snap-on adaptor for WP-64 MU
REF 04530600

key
REF 01957300

4:1, straight handpiece for disposable contra-angles with plastic shank, system Doriot

HP-44 M
REF 10114403

Cordless Polishing System

Cordless polishing means polishing entirely without restrictions

Twist and turn the ergonomically designed, light handpiece at will and change your position as needed. This allows you to access practically any angle during polishing and ensures a good view of the treatment site.

PL-40 H Proxeo Twist Cordless System Doriot, consists of:

- PL-40 H handpiece drive incl. handpiece sleeve
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

REF 30317000

PL-40 HW Proxeo Twist Cordless System Doriot, consists of:

- PL-40 HW handpiece drive
- PL-44 for System Doriot
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

REF 90000348

Prophy Angle Cups 105°
firm / dark green
100 pcs
REF 07979710

Prophy Angle Cups 105°
soft / apple green
100 pcs
REF 07994950

PL-40 HW Proxeo Twist Cordless System LatchShort, consists of:

- PL-40 HW handpiece drive
- PL-66 W for System LatchShort
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

REF 90000346



LATEX

soft / apple green, LatchShort

Prophy Cups
144 pcs REF 08003630

LATEX

firm / dark green, LatchShort

Prophy Cups
144 pcs REF 07597900

LATEX

cup-shaped, soft / clear, LatchShort

Prophy Brushes
144 pcs REF 08003650

PL-40 HW Proxeo Twist Cordless System Screw-in Young, consists of:

- PL-40 HW handpiece drive
- PL-64 for System Screw-in Young
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

REF 90000347

drive handpiece PL-40 H
REF 07954780

foot control C-NW
REF 30316000

drive handpiece PL-40 HW
REF 07947190

handpiece sleeve
REF 07918800

carrying case
REF 08025020

charger with adaptor
REF 07969610

handpiece holder
REF 05882600

PL-44
for System Doriot
REF 30098000

PL-64
for System Screw-in Young
REF 30097000

PL-66 W
for System LatchShort
REF 30096000

Proxeo Combi-Set (Ultra & Twist Cordless)

proxeo TWIST

proxeo ULTRA

Convenient, wireless and efficient:
From now on, the PB-530 Proxeo Ultra Piezo scaler and the Proxeo Twist Cordless System can be controlled using just a single wireless foot control. This not only makes it more convenient to operate, but also ensures more efficiency in working process.

All Proxeo Combi-Sets consist of:

Cordless Polishing System Proxeo Twist
- PL-40 H handpiece drive incl. handpiece sleeve
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

Control unit PB-530 with coolant tank
Switch-mode power supply
1.8 m supply hose
Cable (pairing/charging) for C-NW

Cordless Polishing System Proxeo Twist
- PL-40 HW handpiece drive
- PL-66 W or PL-64
- Foot control C-NW
- Charger with adaptor
- Handpiece holder

Control unit PB-530 with coolant tank
Switch-mode power supply
1.8 m supply hose
Cable (pairing/charging) for C-NW

Handpiece PB-5 L Q
Tips: 1UQ, 2UQ, 1PQ, 1IQ
incl. tip exchanger with torque limitation

Proxeo Combi-Sets:

Set PB-530, PB-5 L Q, PL-40 H
REF 90000298
Set PB-530, PB-5 L Q, PL-40 HW, PL-66 W
REF 90000356

Handpiece PB-5 L
Tips: 1U, 2U, 1P, 1I
incl. tip exchanger with torque limitation

Proxeo Combi-Sets:

Set PB-530, PB-5 L, PL-40 H
REF 90000299
Set PB-530, PB-5 L, PL-40 HW, PL-66 W
REF 90000354

Handpiece PB-5 L S
Tips: 1US, 2US, 1PS, 1IS
incl. tip exchanger with torque limitation

Proxeo Combi-Sets:

Set PB-530, PB-5 L S, PL-40 H
REF 90000301
Set PB-530, PB-5 L S, PL-40 HW, PL-66 W
REF 90000358

Implantmed
SI-1023 / SI-1015

implantmed PLUS

The W&H Implantmed offers the implantologist a drive unit for daily use
This surgical unit can be safely used for oral-surgery procedures in implantology and maxillo-facial surgery.

Implantmed Set, consists of:

- Control unit (230 V or 120 V)
- Motor with 1.8 m cable (EM-19/EM-19 LC)
- Including 5 clips
- Foot control S-N2 / S-NW
- Stand
- Universal support
- Mains cable
- 3 disposable irrigation tubings

Foot control S-N2, motor without electrical contacts
SI-1023 (230 V)
REF 90000163
SI-1015 (120 V)
REF 90000167

led+

Foot control S-N2,motor with electrical contacts
SI-1023 (230 V)
REF 90000165
SI-1015 (120 V)
REF 90000169

Foot control S-NW, motor without electrical contacts
SI-1023 (230 V)
REF 90000164
SI-1015 (120 V)
REF 90000168

led+

Foot control S-NW, motor with electrical contacts
SI-1023 (230 V)
REF 90000166
SI-1015 (120 V)
REF 90000170

Oral surgery & Implantology

Implantmed Sets

without foot control incl. CAN dongle, motor without electrical contacts
SI-1023 (230 V)
REF 90000171
SI-1015 (120 V)
REF 90000173

led+

without foot control incl. CAN dongle, motor with electrical contacts
SI-1023 (230 V)
REF 90000172
SI-1015 (120 V)
REF 90000174

Implantmed Sets

W&H Osstell ISQ module with measuring probe, TestPeg, SmartPeg mount
REF 30210000

Measuring probe with cable for W&H Osstell ISQ module
REF 07721100

TestPeg
REF 07849900

SmartPeg mount 1pc
REF 07460300

Parts available after sale

Oral surgery & Implantology

transportation case
REF 07962790

Implantmed SI-1023 (230 V)
REF 30288000
Implantmed SI-1015 (120 V)
REF 30289000

foot control S-N2
REF 30285000

CAN dongle
REF 07759700

EM-19 motor
(without electrical contacts)
1.8 m cable with 5 clips
REF 30185000

EM-19 LC motor
(with electrical contacts)
1.8 m cable with 5 clips
REF 30281000

EM-19 LC motor
(with electrical contacts)
3.5 m cable with 10 clips
REF 30281001

foot control S-NW with CAN dongle
REF 30264000



universal support
REF 07721800

Oral surgery & Implantology

Piezomed Modul Classic / Plus

SA-435 M / SA-430 M

Explanation of Symbols

- without light
- thermo washer disinfectable
- sterilizable



piezomed
module

Oral surgery & Implantology

The W&H Piezomed Module covers the cpl. Surgical workflow

A tailor-made solution for every user. Implantmed can be combined with the Piezomed module with a plug-and-play solution and covers several surgical applications.

Piezomed Plus module 1.8 m consisting of:
- Module
- Handpiece SA-40 L (1.8m)
- Power supply and main cable
- Support and stand
- Instrument changer
- 6 pcs. disposable irrigation tubes

SA-435 M (1.8 m)
REF 90000350

Piezomed Plus module 3.5 m consisting of:
- Module
- Handpiece SA-40 L (3.5 m)
- Power supply and main cable
- Support and stand
- Instrument changer
- 6 pcs. disposable irrigation tubes

SA-435 M (3.5 m)
REF 90000351

Piezomed Classic module consisting of:
- Module
- Handpiece SA-40 (1.8m)
- Power supply and main cable
- Support and stand
- Instrument changer
- 6 pcs. disposable irrigation tubes

SA-430 M
REF 90000349

Piezomed Modul Classic / Plus

Piezomed Handpiece with
- 1.8 m cable
- LED Light and tip detection
- Instrument changer

SA- 40 L (1.8 m)
REF 30392000

Piezomed Handpiece with
- 3.5 m cable
- LED Light and tip detection
- Instrument changer

SA- 40 L (3.5 m)
REF 30392001



Piezomed Handpiece with
- 1.8 m cable
- No light and without tip detection
- Instrument changer

SA- 40 (1.8 m)
REF 30408000

Disposable irrigation tubes
with Y-switch 2,2 m (6pcs)
REF 08072750

Disposable irrigation tubes
with Y-switch 3,8 m (6pcs)
REF 08041710

Oral surgery & Implantology

Surgical straight and contra-angle handpieces

Explanation of Symbols

- with LED+ light
- external spray
- thermo washer disinfectable
- sterilizable

with Mini LED+ and W&H connection

20:1, hexagon chucking system, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm (shank hardness >50 HRC, >520 HV), optionally available Kirschner/Meyer internal cooling system

WS-75 L
REF 30033000

1:1, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm

WS-56 L
REF 30040000

1:2.7, 45° head, triple spray, press-button chuck system, for surgical burs and cutters with FG shank Ø 1.6 mm

WS-91 L
REF 30049000

1:2.7, triple spray, press-button chuck system, for surgical burs and cutters with FG shank Ø 1.6 mm

WS-92 L
REF 30043000

1:1, straight, lever chuck system, for surgical burs and cutters Ø 2.35 mm (also system Stryker)

S-11 L
REF 30058000

elcomed

Elcomed



Elcomed, consists of:

- Control unit with or without documentation
- (220 – 240 V or 100 – 130 V)
- Variable foot control S-N1
- Motor with 1.8 or 3.5 m cable and clips
- Irrigation tubing set
- Mains cable
- Motor support
- Stand
- Locking pins
- Additional equipment for control unit with documentation: USB Stick

SA-310 with documentation
motor with 1.8 m cable
REF 15933100
motor with 3.5 m cable
REF 15933101

SA-310 without documentation
motor with 1.8 m cable
REF 15933102
motor with 3.5 m cable
REF 15933103



motor
1.8 m cable with 5 clips
REF 05513400

motor
3.5 m cable with 10 clips
REF 06205800

Parts available after sale



fuse
250 V – T1,6AH
REF 06352200

USB stick
REF 06290700

Oral surgery & Implantology

Implantmed Classic SI-915 / SI-923

The W&H Implantmed Classic offers the implantologist a surgical unit for daily use. The ergonomic design and ease of use ensures fatigue-free operation.

Implantmed Classic Set, consisting of:

- Control unit (230 V or 120 V)
- Motor EM-19 with 1.8 m cable
- Incl. 5 hose clips
- Foot control S-N2
- Irrigant support
- Universal support
- Mains cable
- 3 disposable coolant hoses

SI-923 (230 V)
REF 90000161

SI-915 (120 V)
REF 90000162



motor with 1.8 m cable incl. 5 clips
REF 06631600

Attention! Not compatible with Implantmed Classic.



fuse T1,25AH
REF 06661800

Attention! Not compatible with Implantmed Classic.

EM-19 motor (without electrical contacts) 1.8 m cable with 5 clips
REF 30185000

foot control S-N2
REF 30285000

foot control S-NW with SPI dongle
REF 30264001

Attention! Not compatible with Implantmed Classic.

SPI dongle (Implantmed SI-923, SI-915 (2011), Elcomed SA-310, Piezomed SA-320)
REF 07795800

Attention! Not compatible with Implantmed Classic.

variable foot control (Elcomed SA-310, Implantmed SI-923, SI-915) S-N1
REF 06202400

Attention! Not compatible with Implantmed Classic.



locking pin for motor
REF 04006800

Attention! Not compatible with Implantmed Classic.



transportation case Elcomed SA-310
REF 07945930



transportation case Implantmed SI-923 / SI-915
REF 07948730



Disposable irrigation tubing set for motor with 1,8 m cable, 6pcs, 2,2 m
REF 04363600
Disposable irrigation tubing set for motor with 3,5 m cable, 6 pcs, 3,8 m
REF 04364100



Sterilizable irrigation tubing set for motor with 1,8 m cable 1 pcs, 2,2 m
REF 04719400



Pump tubing with nipple, 1 pcs
REF 04013900

Pump tubing 3 pcs, 85 mm
REF 04014000



sterilizable irrigation tubing set 2.2 m, for motor with 1.8 m cable
REF 04976700



disposable irrigation tubing set, 6 set per carton, for motor with 2.2 m cable
REF 04365300
disposable irrigation tubing set, 6 set per carton, for motor with 3.8 m cable
REF 04365100



Disposable irrigation tubing set for motor with 1,8 m cable 10 pcs, 2,2 m
REF 00929300
Disposable irrigation tubing for motor with 3,5 m cable 10 pcs, 3,8 m
REF 00929400

Surgical straight and contra-angle handpieces

Explanation of Symbols

- with LED+ light
- without light
- external spray
- thermo washer disinfectable
- sterilizable

with and without Mini LED+

20:1, hexagon, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm, optionally available Kirschner/Meyer internal cooling system

WS-75 L G
REF 30032000

WS-75
REF 30065000

1:1, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm

WS-56 L G
REF 30039000

WS-56
REF 30038000

1:2.7, 45° head, triple spray,press-button chuck system,for surgical burs and cutters with FG shank Ø 1.6 mm

WS-91 L G
REF 30048000

WS-91
REF 30047000

1:2.7, triple spray, press-button chuck system, for surgical burs and cutters with FG shank Ø 1.6 mm

WS-92 L G
REF 30042000

WS-92
REF 30041000



Kirschner Meyer internal cooling system set (WI-75) black
REF 08014692

20:1, hexagon, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm, optionally available Kirschner/Meyer internal cooling system

WI-75 E/KM (not dismantleable)
REF 10207550



spray clip black with external tube holder for Kirschner/Meyer internal cooling system

3 pcs
REF 04757100

spray clip black
without external tube holder

3 pcs
REF 05051000

spray clip green with external tube holder
for Kirschner/Meyer internal cooling system

3 pcs, for left
REF 06946300
3 pcs, for right
REF 06948300

spray clip green
without external tube holder

3 pcs, for left
REF 06948400
3 pcs, for right
REF 06949500



coolant tubing for internal cooling through the bur
REF 02610500

Y-manifold
3 pcs
REF 06016400



short nozzle cleaner
REF 02015101



Kirschner Meyer internal cooling system set (WS-75) green
REF 08014690

Parts available after sale

1:1, straight, lever chuck system,
for surgical burs and cutters
Ø 2.35 mm (also system Stryker)

S-11 L G
REF 30057000

S-11
REF 30056000

1:1, angled, slim, lever chuck system,
for surgical burs and cutters
Ø 2.35 mm (also system Stryker)

S-9 L G
REF 30054000

S-9
REF 30053000

1:1, straight, lever chuck system,
for surgical burs and cutters
Ø 2.35 mm (also system Stryker)

S-15
REF 30060000

1:1, angled, slim, lever chuck system,
for surgical burs and cutters Ø 2.35 mm

S-10
REF 30059000

1:2, angled, slim, lever chuck system,
for surgical burs and cutters Ø 2.35 mm

S-12
REF 30061000

1:2, lever chuck system, for surgical
burs and cutters, Ø 2.35 mm

S-16
REF 30411000

20:1, twist chuck system, for zygoma burs,
surgical burs and cutters, Ø 2.35 mm

SZ-75
REF 30095000

Oral surgery & Implantology

Surgical handpieces

coolant tube, movable
for S-9, S-9 L G, S-11, S-11 L G, S-16
REF 06879500

coolant tube, movable
for S-10, S-12
REF 06903200

coolant tube, movable
for S-15
REF 07226900

coolant tube Zygoma
REF 08030410

Oral surgery & Implantology

Surgical saw handpieces

Explanation of Symbols

- reciprocating
- oscillating
- sagittal
- without light
- external spray
- thermo washer disinfectable
- sterilizable

The saw handpieces have been specially designed for conversion osteotomies and bone harvesting.
Even after many years of use at maximum speed a high performance is still guaranteed.

3.25:1, with 2 reciprocating saw blades each, R-15, R-20 and R-30

S-8 R reciprocating
REF 10100801

3.4:1, with 2 oscillating saw blades each, 0-8 and 0-15

S-8 O oscillating
REF 10100802

3.25:1, with 2 sagittal saw blades each, S-6 and S-10

S-8 S sagittal
REF 10100803



coolant tubing for S-8 R, S-8 S
REF 04870800



coolant tubing for S-8 O
REF 04871000

spanner to change the saw blades
REF 04740200

Parts after sale

Oral surgery & Implantology

reciprocating, crosswise, forward/reverse cutting direction, for saw handpiece S-8 R

R-15, length approx. 15 mm
1 pc REF 04726000
5 pcs REF 04800100

R-20, length approx. 20 mm
1 pc REF 04725900
5 pcs REF 04800000

R-30, length approx. 30 mm
1 pc REF 04725700
5 pcs REF 04799900

oscillating, cutting direction 90° to the axis, depth gauge on the saw blade (2.5 mm gradations), for saw handpiece S-8 O

O-8, width approx. 8 mm
REF 04800500

O-15, width approx. 15 mm
REF 04800400

sagittal, cutting direction parallel to the axis, depth gauge on the saw blade (2.5 mm gradations), for saw handpiece S-8 S

S-6, width approx. 6 mm
1 pc REF 04726200
5 pcs REF 04800300

S-10, width approx. 10 mm
1 pc REF 04726100
5 pcs REF 04800200

Saw blades

Oral surgery & Implantology

Piezomed

Piezomed facilitates the surgeon's work: thanks to innovative Ultrasound technology, only bone substance is resected with high precision.
The surrounding soft tissue remains uninjured.
A noticeable relief for the patient: less pain, quicker healing!

Piezomed, consists of:

- Control unit (100 – 130 V / 220 – 240 V)
- Foot control S-N1 / S-NW
- Handpiece with 1.8 m cable or
- Handpiece with 3.5 m cable and clips
- Irrigation tubing set
- Mains cable
- Motor support
- Stand
- Instrument changer
- Sterilization Cassette
- Instrument kit „Bone“



SA-320 with handpiece 1,8 m cable, foot control S-N1
REF 30078000

SA-320 with handpiece 3,5 m cable, foot control S-N1
REF 30078001

SA-320 with handpiece 1,8m cable, foot control S-NW, SPI Dongle
REF 30078005
SA-320 with handpiece 1,8 m cable, without foot control, SPI Dongle
REF 30078004
SA-320 with handpiece 1,8 m cable, without foot control, without Instrumentkit Bone, without sterilisation cassette
REF 30078003

SA-320 with handpiece 3,5 m cable, foot control S-NW, SPI Dongle
REF 30078007
SA-320 with handpiece 3,5 m cable, without foot control, SPI dongle
REF 30078006

handpiece
1.8 m cable incl. 5 clips
REF 06985000

handpiece
3.5 m cable incl. 10 clips
REF 07159200

foot control S-N1
REF 07004400

handle for foot control S-N1, S-N2, S-NW
REF 04653500

foot control S-NW
with SPI dongle
REF 30264001

SPI dongle
(Implantmed SI-923, SI-915 (2011), Elcomed SA-310, Piezomed SA-320)
REF 07795800

LED-Socket
REF 06205600



fuse T1,25AH
REF 06661800



transportation case
Piezomed SA-320
REF 07945930

sterilization Cassette for Piezomed
REF 07172900

Irrigation tubings



Disposable irrigation tubing set for motor with 1,8 m cable, 6pcs, 2,2 m
REF 04363600
Disposable irrigation tubing set for motor with 3,5 m cable, 6 pcs, 3,8 m
REF 04364100



Sterilizable irrigation tubing set for motor with 1,8 m cable, 1 pcs, 2,2 m
REF 04719400

instrument stand
REF 07134900

instrument kit „Bone“ consists of instruments: B1, B2R, B2L, B3, B4, B5
REF 07173100

instrument kit Sinus „SPECIAL“ consists of instruments: S1, S2, S3, S4, S5
REF 07173200

instrument kit „Endo“ consists of instruments: R1D, R2RD, R2LD, R3D, R4RD, R4LD
REF 07173300

instrument kit „Paro“ consists of instruments: P1, P2RD, P2LD
REF 07173400

instrument kit „EX“ consists of instruments: EX1, EX2
REF 07173500

Instrument kit „Implant/Crestal P“ consists of instruments: I1, I2P, I3P, I4P, Z25P, Z35P
REF 07997110

Instrument kit „Implant/Crestal A“ consists of instruments: I1, I2A, I3A, I4A, Z25P, Z35P
REF 07997090

Accessories

W&H adaptor kit for cleaning tips in thermo washer disinfectors see page 146

Fine-toothed instrument for fine cuts, with little bone loss when harvesting bone blocks.

instrument B1
REF 05530100

Fine-toothed instrument for horizontal cuts with little bone loss in hard-to-reach areas. Right-curved models available.

instrument B2R
REF 06958600

Fine-toothed instrument for horizontal cuts with little bone loss in hard-to-reach areas. Left-curved models available.

instrument B2L
REF 05544400

Sharp instrument for modelling and contouring the bone surface, as well as for collecting bone chips.

instrument B3
REF 05542100

Sharp chisel for splitting the alveolar ridge.

instrument B4
REF 05543800

Sharp scraper for collecting bone chips and detaching bone flaps.

instrument B5
REF 05534500

Special saws for fine and deep cuts in record time. Also for separating tooth roots and for root-tip resections.

instrument B6
REF 07022500

Special saws for fine and deep cuts in record time. Also for separating tooth roots and for root-tip resections.

instrument B7
REF 07022600

Diamond-coated instrument for preparation of a bone flap for lateral sinus floor augmentation and for crown edge extensions.

instrument S1
REF 05542900

Instrument with diamond-coated ball for preparation of a bone flap for lateral sinus floor augmentation and for crown edge extensions.

instrument S2
REF 05534700

Instrument for gentle detachment of the Schneiderian membrane from the bone. The coolant film protects the Schneiderian membrane by means of three coolant openings.

instrument S3
REF 05508200

Instrument with rounded edges for atraumatic detachment of the Schneiderian membrane.

instrument S4
REF 05542300

Instrument with rounded edges for atraumatic detachment of the Schneiderian membrane.

instrument S5
REF 05542800

Straight, diamond-coated instrument for retrograde root canal preparation.

instrument R1D
REF 05975200

Slightly right-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R2RD
REF 05991000

Slightly left-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R2LD
REF 05999400

Angled, diamond-coated instrument for retrograde root canal preparation.

instrument R3D
REF 05998800

Strongly right-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R4RD
REF 06005000

Strongly left-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R4LD
REF 06004700

For removing concretions in the subgingival region. Ideal for treatment of deep, periodontal pockets.

instrument P1
REF 06067700

Right-curved, diamond-coated tip for periodontal debridement. Especially suitable for open root planing.

instrument P2RD
REF 06061700

Left-curved, diamond-coated tip for periodontal debridement. Especially suitable for open root planing.

instrument P2LD
REF 06061800

Instrument for atraumatic tooth extraction to preserve the alveolar bone.

instrument EX1
REF 06069300

Instrument for atraumatic tooth extraction to preserve the alveolar bone.

instrument EX2
REF 06071100

Diamond-coated instrument with depth marks for pilot preparation with the correct axial alignment.

instrument I1
REF 07786800

Diamond-coated instrument for expansion of the pilot hole (Ø 2.5 mm) and for lifting the Schneiderian membrane using a cooling medium.

instrument Z25P
REF 07785600

Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. A = anterior region

instrument I2A
REF 07797800

Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. P = posterior region

instrument I2P
REF 07788800

Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. A = anterior region

instrument I3A
REF 07885600

Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. P = posterior region

instrument I3P
REF 07887000

Diamond-coated instrument for expansion of the pilot hole (Ø 3.5 mm) and for lifting the Schneiderian membrane using a cooling medium.

instrument Z35P
REF 07980600

Instruments for preparation of the implant bed (4 mm) up to the desired depth.
A = anterior region

instrument I4A
REF 07889400

Accessories

Instruments for preparation of the implant bed (4 mm) up to the desired depth.
P = posterior region

instrument I4P
REF 07889500

instrument changer
REF 06276700



stand
REF 04005900



motor support
REF 06177800

Parts available after sale and accessories

clips 5pcs for Elcomed SA-310, Piezomed SA-320, Implantmed Plus and Implantmed Classic
REF 06290600
clips 5 pcs for Implantmed SI-923 / SI-915
REF 04019000



handle for foot controls
REF 04653500

nozzle cleaner
REF 00636901

sterilization Cassette for Piezomed
REF 07172900

Parts available after sale and accessories

- Your W&H control units in one compact location
- Space-saving
- Mobile
- Dimensions (height x width x depth): 935 x 500 x 450 mm

Surgical trolley with 3 sockets (European style)
REF 07962870

Roto Quick couplings

Explanation of Symbols

- led — with LED light
- with light
- without light
- integrated spray
- 135°C — sterilizable

The Roto Quick system coupling is a multi-faceted system interface, which connects any standardized turbine tubing to any W&H turbine or air scaler with Roto Quick connection.

standard 6-hole connection

RQ-24
REF 10402400

standard 6-hole connection, adjustable spray

RQ-34
REF 10403400

Borden 2(3)-hole connection

RQ-03
REF 10400300

standard 4-hole connection

RQ-04
REF 10400400

standard 4-hole connection, adjustable spray

RQ-14
REF 10401400

Quick couplings

Drive

Quick couplings with generator for Alegra turbine handpieces TE-97/98 LQ

Borden 2-hole connection, generator and water filter with resuction stop

RQ-53
REF 10405300

standard 4-hole connection, generator and water filter with resuction stop

RQ-54
REF 10405400

Quick couplings for Synea Fusion turbine handpiece TG-97/98 LW

standard 6-hole connection, for Synea Fusion turbine handpiece TG-97/98 LW

RA-24
REF 10402424

5-hole connection (with light), glass rod, for Synea Fusion turbine handpiece TG-97/98 LW

RA-25
REF 10402525

Coupling with LED light for KaVo Multiflex ® connection

standard 6-hole connection, adjustable spray

RM-34 LED
REF 10403410

Parts available after sale

O-ring set
REF 07508900

Drive

Air motors

Explanation of Symbols

- led — with LED light
- with light (halogen)
- without light
- integrated spray
- external spray
- without spray
- thermo washer disinfectable
- 135°C — sterilizable

With integrated spray sleeve outer diameter of 20mm

Roto Quick connection for contra-angle and straight handpieces with light for RQ-34 or RQ-24*

AM-25 LT
REF 10002500

standard 6-hole connection, LED light, for contra-angle and straight handpieces with glass rod

AM-25 L RM
REF 30102000

Roto-Quick connection for contra-angle and straight handpieces without light for RQ-14, RQ-03 or RQ-04**

AM-25 A
REF 10002501

standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-25 A RM
REF 30103000

Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-25 A BC
REF 30104000

Drive

*can be used with Roto Quick couplings with light: RQ-24 / RQ-34 – see page 118
**can be used with Roto Quick couplings: RQ-24 / RQ-34 / RQ-14 / RQ-03 / RQ-04 – see page 118

With external spray sleeve outer diameter of 20mm

standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-25 E RM
REF 30105000

Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-25 E BC
REF 30111000

Roto Quick connection, for contra-angle and straight handpieces without light, for Roto Quick couplings RQ-03, RQ-04 and RQ-14

AM-25 RQ
REF 30399000

standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-25 RM
REF 30108000

Without spray sleeve outer diameter of 20mm

Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-25 BC
REF 30112000

Drive

With external spray sleeve outer diameter of 18mm

standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-20 E RM
REF 30107000

Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-20 E BC
REF 30109000

Roto Quick connection, for contra-angle and straight handpieces without light, for Roto Quick couplings RQ-03, RQ-04 and RQ-14

AM-20 RQ
REF 30400000

standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-20 RM
REF 30106000

Without spray sleeve outer diameter of 18mm

Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-20 BC
REF 30113000

Parts available after sale

O-ring for air motors
AM-25 L RM, AM-25 A RM,
AM-25 A BC
3 pcs
REF 01862300

LED-ring
for AM-25 L RM
REF 07389100

Drive

Air Motors compadible with Midwest handpiece connection*

Roto Quick connection, for contra-angle and straight handpieces with Midwest handpiece connection, for RQ-03 or RQ-04

AM-20 MW RQ
REF 30402000

standard 4-hole fix connection, for contra-angle and straight handpieces with Midwest handpiece connection

AM-20 MW RM
REF 30115001

Roto Quick connection, for contra-angle and straight handpieces with Midwest handpiece connection, 4:1 speed decreasing, for RQ-03 or RQ-04

AM-05 MW RQ
REF 30404000

standard 4-hole fix connection, for contra-angle and straight handpieces with Midwest handpiece connection, 4:1 speed decreasing

AM-05 MW RM
REF 30220001

* W&H handpieces with Midwest handpiece connection: WE-56 T MW, WE-57 T MW, HE-43 T MW (see page 25)

Air Motors compadible with Star Dental handpiece connection**

Roto Quick connection, for contra-angle and straight handpieces with Star Dental handpiece connection, for RQ-03 or RQ-04

AM-20 SD RQ
REF 30401000

standard 4-hole fix connection, for contra-angle and straight handpieces with Star Dental handpiece connection

AM-20 SD RM
REF 30114001

Roto Quick connection, for contra-angle and straight handpieces with Star Dental handpiece connection, 4:1 speed decreasing, for RQ-03 or RQ-04

AM-05 SD RQ
REF 30403000

standard 4-hole fix connection, for contra-angle and straight handpieces with Star Dental handpiece connection, 4:1 speed decreasing

AM-05 SD RM
REF 30219001

** W&H handpieces with Star Dental handpiece connection: WE-56 T SD, WE-57 T SD, HE-43 T SD (see page 25)

Drive

Add-on AF-100

- AF-100 control unit basic
  60,000 – 320,000 rpm
- Power supply
  100 – 240 V
- Air supply hose
  Ø 6 mm
- RQ-24
- RG-97 L (LED+)

Add-on AF-100
REF 90000143

Accessories for Add-on

Tray
REF 07944590



Add-on support
REF 07842200

Display bracket
REF 07712700

Drive

Built-in Sets analogue

- AC-1.0 Advanced Air Controller + AD-1.0 Analog-digital converter
- Supply hose VA-6
- Air supply hose Ø 8 mm
- 2 connection sets (pneumatic and electric)
- RQ-24
- RG-97 L
- Display D-2.0 A

Advanced Air RG-97 L with display basic
REF 90000141

W&H drive solutions are now available as Built-in Solutions for dental units

United under the term Built-in Solutions, W&H offers a range of drive solutions that can be integrated in dental units.

Electric motor EM-12 L

Explanation of Symbols

- with light
- integrated spray
- sterilizable

Add-on MF-100 electric motor

- MF-100
  control unit basic 2,000 – 40,000 rpm
- Power supply
- EM-12 L
  electric motor
  max. 3 Ncm torque

Add-on MF-100
REF 90000144

Accessories for Add-on

Tray
REF 07944590



Add-on support
REF 07842200

Display bracket
REF 07712700

Drive

Built-in Solutions

- MC-1.0 E motor controller analogue
- VE-10 hose
- EM-12 L electric motor
- 2 connection sets (pneumatic and electric)

EM-12 L electric motor with display basic
REF 90000139

- MC-1.0 motor controller analogue
- VE-10 hose
- EM-12 L electric motor
- 2 connection sets (pneumatic and electric)

EM-12 L electric motor with control knob
REF 90000138

- MC-1.0 motor controller analogue
- VE-10 hose
- EM-12 L electric motor
- 2 connection sets (pneumatic and electric)

EM-12 L electric motor with display basic
REF 90000245

- MC-2.0 motor controller analogue
- 2x VE-10 hose
- 2x EM-12 L electric motor
- 2 connection sets (pneumatic and electric)

Dual EM-12 L electric motor with display basic
REF 90000224

q-link

Ultrasonic scaler

Explanation of Symbols

- with light
- without light
- integrated spray
- thermo washer disinfectable
- sterilizable

- PC-1.0 piezo controller analogue
- VP-5 supply hose
- PB-5 L handpiece with 5x ring LED
- Electrical connection set
- Control knob
- incl. tips:
- **PB-5 L:** 1x 1U, 1x 2U, 1x 1P
- **PB-5 L Q:** 1x 1UQ, 1x 2UQ, 1x 1PQ
- **PB-5 L S:** 1x 1US, 1x 2US, 1x 1PS

Piezo Scaler PB-5 L (with W&H / EMS / Mectron stanard thread)
REF 90000251
Piezo Scaler PB-5 L Q (with W&H Q-link - quick connection)
REF 90000252
Piezo Scaler PB-5 L S (with W&H/Satelec/NSK thread)
REF 90000294

- PC-1.0 piezo controller analogue
- Supply hose
- PB-3 handpiece
- VP-3 supply hose
- Electrical connection set
- Control knob
- incl. tips
- PB-3: 1x 1U, 1x 1P
- PB-3 S: 1x 1US, 1x 1PS

Piezo scaler PB-3 (with W&H / EMS / Mectron stanard thread)
REF 90000149
Piezo scaler PB-3 S (with W&H/Satelec/NSK thread)
REF 90000302

Scope of application depends on Ultrasonic tips used.
All scaler tips with tip exchanger with torque limitation.

teon

Thermal washer disinfector

Teon is a highly efficient thermal washer disinfector.

Teon, consists of:
Teon is available without interior, so you can tailor the device exactly to your needs. For more information, see the accessories list.

ZER (Germany, Austria, Netherlands, Belgium, France, Switzerland, Italy, Slovenia, Croatia)
REF 19860010
SER (Spain, Portugal)
REF 19860020
OER (Hungary)
REF 19860030
NER (Denmark, Finland, Norway, Sweden)
REF 19860060
GB (Great Britain, Ireland)
REF 19860110

teon +

Thermal washer disinfector

Teon +, the premium W&H thermal washer disinfector, ensures the most demanding clinics an excellent automatic cleaning system for instruments, including handpieces.

Teon +, consists of:
Complete your Teon + with the interior you really need. The device is sold empty, but can be equipped to your individual needs. For more information, see the accessories list.

ZER (Germany, Austria, Netherlands, Belgium, France, Switzerland, Italy, Slovenia, Croatia)
REF 19870010
NER (Denmark, Finland, Norway, Sweden)
REF 19870060
GB (Great Britain, Ireland)
REF 19870110



Accessories package includes the perfect range of basic equipment.
Starter pack:

- A102 Upper basket
- E430/1 Insert 1/3 mesh tray
- A151 Lower basket/open front
- E379 Insert 1/2 mesh tray
- E337/1 Insert 2/5
- E523 Insert 1/2

REF 19721439



Accessories package complemented by an additional equipment perfectly and particularly suitable for handpieces.
Injector pack:

- A151 Lower basket/open front
- E379 Insert 1/2 mesh tray
- E337/1 Insert 2/5
- E523 Insert 1/2
- A105/1 Upper basket/injectors unit
- A836 Dental nozzle set

REF 19721440

A102 Upper basket
REF 19721400



A105/1 Upper basket/injectors unit
REF 19721455



A151 Lower basket/open front
REF 19721402

XKM RS232 10 Med Serial module
REF 19721432

XKM 3000L Med Ethernet module
REF 19721433

A801 Adapter
REF 19721405

A803 Holder for handpieces
REF 19721411

A813 Adapter
REF 19721413

Adaptor scaler tips
REF 06894700
Adaptor scaler tips
REF 06895000

A814 Adapter
REF 19721430

Parts available after sale

A815 Nozzle
REF 19721414

A836 dental nozzle set
REF 19721451

E476 Adapter
REF 19721425

ADS1 Adapter silicone
REF 19721408

ADS2 Adapter silicone
REF 19721409

ADS3 Adapter silicone
REF 19721410



AUF1 Adapter
REF 19721406

A800 Central filter
REF 19721404

A804 Cleaning brush
REF 19721412

E130 Insert 1/2
for 10 trays
REF 19721415

E131/1 Insert
REF 19721416

E146 Insert 1/6
REF 19721417

E197 Insert 1/6
mesh tray
REF 19721418

E198 Insert 1/2
REF 19721419



E337/1 Insert 2/5
REF 19721420

E363 Insert
1/6 mesh tray
REF 19721421

E379 Insert
1/2 mesh tray
REF 19721422



E430/1 Insert
1/3 mesh tray
REF 19721423

E473/2 Insert
REF 19721424

E520 Insert
REF 19721426

Sterilization, Hygiene & Maintenance

E521/2 Insert
REF 19721427

E522/1 Insert
REF 19721428



E523 Insert 1/2
REF 19721429



E339/1 Insert
REF 19721437

DOS K85/1 200-240V 50Hz
REF 19721435
DOS K85/1 200-240V 60Hz
REF 19721443

DOS K85/1 NER
REF 19721442

Sterilization, Hygiene & Maintenance

W&H adaptor kit

W&H adaptor kit for washer disinfectors consits of:

- Adaptor scaler tips (piezo) (3 pcs)
- Adaptor scaler tips (air scaler) (3 pcs)
- Intermediate adaptor (3 pcs)
- Silicone hose (10 pcs)

REF 07233500

W&H adaptor kit for washer disinfectors

The W&H adapter set was specially developed for the mechanical reprocessing of accessories and small components such as scaler tips, coolant tubes, Y-manifolds and spray clips with corresponding internal lumen.



adaptor scaler tips (piezo) 3 pcs
REF 06895000

intermediate adaptor 3 pcs
REF 07149200

adaptor scaler tips (air scaler) 3 pcs
REF 06894700

silicone hoses 10 pcs
REF 01525000

Parts available after sale

Sterilization, Hygiene & Maintenance

Assistina Twin with Quick Connect by W&H

quick connect by W&H

Oil service without waiting.
The Assistina Twin with Quick Connect by W&H is unique among maintenance devices: with its innovative dual-chamber system, record time lubrication and the environmentally friendly Care Set, it impresses all along the line.

Assistina Twin with Quick Connect by W&H, consists of:

- REF 02697000 Air supply hose 2 m
- REF 07477500 Power supply unit
- REF 07484000 Twin Care Set

Assistina Twin MB-302
REF 30310000

Sliding window
REF 07477200

Air supply hose 2 m
REF 02697000

Cartridge compartment cover
REF 07479500

Filter compartment cover
REF 07479300

Power supply unit
REF 07477500

Quick ISO adaptor
REF 06422600

Quick RM adaptor
REF 06395100

Sterilization, Hygiene & Maintenance

Parts available after sale

Accessories

Twin Care Set, consists of:

- W&H Activefluid, MC-302
- W&H Service Oil F1, MD-302
- HEPA filter

Twin Care Set
REF 07484000

Sterilization, Hygiene & Maintenance

Assistina 301 plus

Maintenance unit for automatic internal cleaning of spray channels and lubrication of straight and contra-angle handpieces, turbine handpieces, air motors, air scalers, as well as W&H surgical straight and contra-angle handpieces.

Assistina 301 plus
with base adaptor REF 02685000
REF 00030140

set Assistina, consists of:
- REF 00030140 Assistina 301 plus
- REF 02680500 cleaning and lubricating set
- REF 02685000 base adaptor

REF 00030125

W&H Service Oil F1
MD-500 (oil bottle, 500 ml)
REF 02675910

W&H cleaning liquid
MC-1000 (1000 ml)
REF 02680200

cleaning and
lubricating set,
consists of:
- MD-500 W&H Service Oil F1
- MC-1000 W&H cleaning liquid

REF 02680500

O-ring, RM/ISO adaptor
REF 02695700

fleece for Assistina 301 plus
20 pcs
REF 02694500

filter pack
for Assistina 301 plus
REF 02670500

Air connection hose 2 m
REF 02697000

Air filter
REF 02675200

Waste drawer
REF 06692500

Air connection hose 2 m
REF 06700100

Cover – Assistina 3x3
REF 06691900
Cover – Assistina 3x2
REF 06947500

External cleaning ring
for Assistina 3x3
REF 06692700

W&H Activefluid, MC-1100
1 cartridge
REF 06691600
W&H Activefluid, MC-1100
1 carton (6 cartridges)
REF 06872300

W&H Service Oil F1, MD-200
1 cartridge
REF 06691500
W&H Service Oil F1, MD-200
1 carton (4 cartridges)
REF 06872200

Adaptors for turbine handpieces

for all W&H products with Roto Quick system
REF 02690400

for turbine handpieces with Multiflex® connection
REF 04713200

for Sirona T1, T2, T3
REF 02692000

adaptor Assistina Borden for turbine handpieces
REF 07014500

Borden 2/3-hole adaptor for turbines with a fixed connection
REF 02083500*

* also for Assistina Twin suitable

Adaptors for straight and contra-angle handpieces

for Sirona T1 Classic
REF 02691000

for Entran contra-angle handpiece attachments
REF 05204600

for KAVO contra-angles with removable heads
REF 02679000

for FG chuck system (W&H, Sirona) for contra-angle and straight handpieces
REF 02693000*

Assistina Twin adaptors

Quick ISO adaptor
REF 06422600

Quick RM adaptor
REF 06395100

Assistina 301 Plus adaptor

base adaptor included in the Assistina base kit, for turbine handpieces or adaptors with 4-hole (with or without light)

base adaptor
REF 02685000

Assistina 3x3, 3x2 adaptor

RM/ISO adaptor
REF 06257600

The KaVo Multiflex® coupling 465 RN and the Bien Air Unifix-Traplite quick coupling 104.23.05. can be fitted on to the base adaptor REF 02685000. Regarding other brands, we recommend you to consult the manufacturer.

Service Oil F1



f1 service oil

W&H Service Oil F1 is a synthetic oil of maximum purity, which has been specially developed for maintenance of W&H turbine handpieces, straight and contra-angle handpieces, surgical instruments, air scalers and air motors.

oil spray can, package of 6 cans

MD-400 (400 ml, 6 pcs)
REF 10940021



for contra-angle and straight handpieces
REF 02038200



for W&H turbine handpieces, air motors and air scalers with Roto Quick connection
REF 02229200



for turbine handpieces and air motors with fixed connection
REF 02036100



for products with Multiflex® connection
REF 04396100



for Alegra turbine handpieces with Sirona® connection
REF 05908000



for Alegra turbine handpieces with NSK Mach® connection
REF 05773300



for Alegra turbine handpieces with Bien Air Unifix® connection
REF 05772000



for Alegra turbine handpieces with NSK QD-J® connection
REF 05907800

Keep spray caps with nozzles for oil spray cans in stock. They can be re-used with every new can.

lisa

W&H steam sterilizer

Lisa, consists of:

- Reversible rack
- 5 aluminium trays
- Drain tube
- Tray holder
- 8 GB USB drive
- Door opening tool
- Factory test

Lisa 17
REF 19931180

Lisa 22
REF 19932180

W&H Lisa type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lara

W&H steam sterilizer

Lara, consists of:

- Reversible rack
- 3 aluminium trays
- Drain tube
- Tray holder
- 8 GB USB drive
- Door opening tool
- Factory test

Lara 17
REF 19941120
Activation Code „Performance“
REF 19730001
Activation Code „Traceability“
REF 19730003

Lara 22
REF 19942120
Activation Code „Fast Cycle“
REF 19730002
Activation Code „All in One“
REF 19730004

W&H Lara type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lina

W&H steam sterilizer

Lina, consists of:
- Reversible rack
- 3 aluminium trays
- Drain tube
- Tray holder
- 8 GB USB drive
- Door opening tool
- Factory test

Activation code "S naked"
REF 19730005
Activation code "Remote data storage"
REF 19730008
Activation code "Traceability"
REF 19730011
Activation code "All in one"
REF 19730013

Lina 17 50HZ
REF 19951130
Lina 17 60HZ
REF 19951230
Lina 22 50HZ
REF 19952130
Lina 22 60HZ
REF 19952230
Lina 22 50/60 HZ 110V
REF 19952330
Lina 22 50/60 HZ AWF 110V
REF 19952331

with automatic water filling and USB option:
Lina 17 50HZ AWF
REF 19951131
Lina 17 60HZ AWF
REF 19951231
Lina 22 50HZ AWF
REF 19952131
Lina 22 50HZ AWF
REF 19952231

W&H Lina type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lyla

W&H steam sterilizer

Lyla, consists of:

- Reversible rack
- 3 aluminium trays
- Drain hose
- Tray holder
- 8 GB USB stick
- Door opening tool
- Factory test

Activation Code
“B cycle”
REF 19730009
Activation Code
“Remote data storage”
REF 19730010
Activation Code
“Traceability”
REF 19730012
Activation Code
“All in one”
REF 19730014

Lyla 17 50 HZ
REF 19951150
Lyla 17 60 HZ
REF 19951250
Lyla 22 50 HZ
REF 19952150
Lyla 22 60 HZ
REF 19952250
Lyla 22 50/60 HZ 110V
REF 19952350

with automatic water filling, USB option and conductivimeter
Lyla 17 50 HZ AWF
REF 19951154
Lyla 22 50 HZ AWF
REF 19952154

W&H Lyla type-S steam sterilizer, designed, certified and validated in accordance with the EN13060.

lexa

W&H steam sterilizer

Lexa, consists of:

- Reversible rack
- 4 aluminium trays
- Drain tube
- Tray holder
- 8 GB USB stick
- Door opening tool
- Factory test

Lexa 100-125V
REF 19943401
Lexa 200-240V
REF 19943101

W&H Lexa steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with ST55.

LisaSafe label printer
REF 19721100

Together with the LisaSafe label printer, the connection kit is needed

New LisaSafe label printer
REF 19721109

USB connection cable + 1 roll of 2.100 labels + 1 wax/resin ribbon + activation code instructions

LisaSafe connection kit
REF 19721123

LisaSafe consumables kit
2 rolls of 2.100 labels and
2 wax/resin ribbons
REF A810500X

Barcode scanner
REF 19721132

W&H Sterilizers

Seal²
pouch sealing device, with double roll-holder, produces 12mm seals
REF 19722101
110 Volt Version
REF 19722102



SealVal²
REF 19722103

Seal Check
REF T802100X

Thermal printer with cable

Sprint
REF 19721108

Adaptor for Sprint
REF A801503X

Roll of thermal paper for Sprint
REF A810504X



Standard paper roll, 57 mm for Print
REF A700140X

W&H traceability options

Sterilization, Hygiene & Maintenance



Cartridge for Print
REF A700103X

Remote Wi-Fi kit (USB dongle)
REF 19721136
Remote Wi-Fi kit (USB dongle) for North American market
REF 19721137

Ethernet cable (LAN) 3 m
REF A801500X

Water quality sensor kit for Lina and Lyla
REF X051513X

USB kit for Lina and Lyla brings one rear USB port
REF X051405X

AWF kit to allow automatic filling for Lina and Lyla sterilizers
REF X051500X

Multidem C27
Water supply for W&H or other brand sterilizers
REF 19723112

Multidem C27 resin cartridge
REF A812016X
Multidem XL resin cartridge
REF 19721445

New Osmo
large amount of water to supply multiple sterilizers simultaneously
REF 19721134

Filter cartridge maintenance kit for new Osmo
Resin and carbon filters
REF A813030X

Complete maintenance kit for new Osmo
Osmotic membrane, resin and carbon filters
REF A813053X

Multidem XL
large water supply to a number of thermal washer disinfector
REF 19721441



Cartridge kit intermediate for Osmo
REF A813019X



Cartridge kit complete for Osmo
REF A813010X



Resin cartridge for Dem 10 and 32
2 sets of 2 pcs or 2 refills
REF A812100X



Water dispenser kit
REF A812018X

Water distiller
for distillation of tap water,
capacity 4 litres
REF 19723101

Prim
water quality tester for
measuring the conductivity
and purity of the water
REF A800502X

Water residue cleaner
for Water distiller 500 g
REF H802010X

Water receiver for Water distiller
REF A811017X

Activated charcoal
sachet for Water distiller
12 pcs
REF H802011X

Drain tube
with quick coupling
REF S230900X

Water treatments Accessories

Sterilization, Hygiene & Maintenance

reversible rack for 5 standard
trays or 3 standard cassettes

For 17 liters sterilizers
REF F523031X

For 22 liters sterilizers
REF F523032X



reversible rack for 4 cassettes

For 17 liters sterilizers
REF F523012X

For 22 liters sterilizers
REF F523015X



reversible rack for
6 standard trays or
3 cassettes

For 17 liters sterilizers
REF F523033X
For 22 liters sterilizers
REF F523034X



reversible rack for
3 large trays and
2 standard trays or 3 cassettes

For 22 liters sterilizers
REF F523035X



reversible rack for 3 wide cassettes

For 17 liters sterilizers
REF F523020X

For 22 liters sterilizers
REF F523021X



reversible rack for 2 cassettes

For 17 liters sterilizers
REF F523016X

For 22 liters sterilizers
REF F523017X

Racks & trays Accessories

Sterilization, Hygiene & Maintenance

Standard tray for 17 liters sterilizers
REF F523204X

Standard tray for 22 liters sterilizers
REF F523205X

Large tray for Lisa, Lara, Lina, Lyla and Lexa
only with Rack REF numbers F523030X, F523035X, F523036X
REF F523211X



Rack for 4 large trays (F523211X) or 4 casettes
for Lexa
REF F523030X

Rack for 3 large trays (F523211X) or 4 casettes
for Lexa
REF F523036X

Tray holder
REF F523001X

Racks & trays Accessories

Sterilization, Hygiene & Maintenance

Bowie & Dick test kit
1 test, minimum order quantity 20 units or multiple
REF T800002X

Helix test kit
1 test and 250 test strips
REF T800205X

Door seal for Lisa MB
REF F460503X
for Lexa
F460535X

Door seal
REF F460504X



Dust filter for Lina Pro and Lisa until 2015
REF F364502X



Dust filter for Lisa 2019, Lara, Lina 2020 and Lyla
REF F364511X

Bacteriological filter
REF W322400X



Consumable kit 400-800 cycles for Lina Pro and Lisa until 2015
REF X050326X

for Lisa 2019, Lara, Lina 2020 and Lyla
REF X050328X

Other consumables and accessories

Sterilization, Hygiene & Maintenance

Perfecta
300 / 600 / 900

perfecta

A wide variety of materials, top-level requirements, constantly changing prerequisites – the daily bread of dental technicians. With Perfecta 300 / 600, you have a powerful laboratory device at your fingertips which can be used for a variety of purposes and which can bring your ideas and those of your customers effortlessly to life.

complete with control unit (230 V or 115 V), mains cable, motor handpiece, handpiece holder and operating controls (optional for foot control) for table and knee control units

table control unit
LA-323 T (230 V)
REF 14933000
LA-315 T (115 V)
REF 14933001

foot control unit
LA-323 F (230 V)
REF 14933200
LA-315 F (115 V)
REF 14933201

knee control unit
LA-323 K (230 V)
REF 14933100
LA-315 K (115 V)
REF 14933101

Perfecta 300

Dental laboratory

complete with control unit (230 V or 115 V), mains cable, motor handpiece, handpiece holder and operating controls (optional for foot control) for table and knee control units

table control unit
LA-623 T (230 V)
REF 14936000
LA-615 T (115 V)
REF 14936001

foot control unit
LA-623 F (230 V)
REF 14936200
LA-615 F (115 V)
REF 14936201

knee control unit
LA-623 K (230 V)
REF 14936100
LA-615 K (115 V)
REF 14936101

Perfecta 600

operating controls
LA-3 D for Perfecta 300
REF 05127000

operating controls
LA-6 D for Perfecta 600
REF 05243200

motor handpiece
without cable LA-66
REF 05201200

motor „E-type“ without cable
LA-3 E (only for Perfecta 300)
REF 05138800

motor cable 1.8 m
for Perfecta 300
REF 05114900

motor cable 1.8 m
for Perfecta 600
REF 05116500

Accessories for Perfecta 300 / 600

Dental laboratory

complete with control unit (230 V or 115 V), operating controls, mains cable, high-speed handpiece, handpiece holder, hose for air supply, hose for coolant supply
(only for types with external coolant supplying)

with internal coolant supplying:

table control unit
LA-923 TT (230 V)
REF 14939300
LA-915 TT (115 V)
REF 14939301

knee control unit
LA-923 KT (230 V)
REF 14939400
LA-915 KT (115 V)
REF 14939401

with external coolant supplying

table control unit
LA-923 T (230 V)
REF 14939000
LA-915 T (115 V)
REF 14939001

knee control unit
LA-923 K (230 V)
REF 14939100
LA-915 K (115 V)
REF 14939101

Perfecta 900

Dental laboratory

Accessories for Perfecta 900

operating controls LA-9 D
REF 05243400



milling device adaptor to attach the high-speed handpiece LA-9 to milling devices with 16 or 18 mm diameter LA-9
REF 06319400

motor handpiece without cable LA-66
REF 05201200

motor cable 1.8 m for motor handpiece LA-66
REF 05116500

high-speed handpiece without cable LA-9
REF 05015900

motor cable 1.8 m for high-speed handpiece LA-9
REF 05117800

foot-operated starter L-NV
REF 05038100

handpiece holder
REF 03211500

Accessories for Perfecta 300 / 600 / 900

wall bracket for operating controls
REF 05138000

1:1, technical handpiece for easy technical working, maintenance-free, Twist tension chuck system, only for handpiece burs

945
REF 14124500

Accessory for E-type version of Perfecta 300

Dental laboratory

Osstell

Osstell® helps you to objectively and non-invasively determine implant stability in order to manage patients with risk factors, avoid unnecessarily long treatment times, and achieve more predictable outcomes.

The Osstell Beacon helps you to objectively and noninvasively determine implant stability.

Osstell Beacon
REF 103000

The Osstell IDx helps you to objectively determine implant stability – without jeopardizing the healing process.

Osstell IDx
REF 101000

The Osstell IDx Pro combines the best of the Osstell Beacon and the Osstell IDx: a wireless, smart and very intuitive ISQ probe and a comprehensive user interface for implant stability visualization, combined with patient data storage and full connectivity.

Osstell IDx Pro
REF 101000 + 103000

The SmartPeg™ attaches to the implant and is used together with the measurement instruments Osstell IDx, Osstell Beacon or Osstell ISQ. SmartPegs are single patient use, as reusing them can result in inaccurate readings or damage to the implant.

SmartPeg/Box (5 pcs)
REF 100XXX
(See SmartPeg Reference List)

The autoclavable SmartPeg Mount is used to carry and connect the SmartPeg to the implant or abutment. SmartPeg mounts comes in boxes of 5.

SmartPeg Mount (5 pcs)
REF 100345

The TestPeg can be used to practice measurements and test an Osstell instrument. Note, the device is not for calibrating, only a guide to check the instruments measure function.

Osstell TestPeg
REF 100381

To use Osstell instruments as effectively as possible it is recommended to have more than one probe, it makes it easier to autoclave between patients. The length including cable is 150cm.

Osstell ISQ Probe
REF 100501

Power supply with an adapter for ac/dc outlet. The use of any other power supply might cause damage to the instrument.

Power Supply IDx
REF 100613



The Osstell Key works in combination with the Osstell Gateway program, installed on a PC/laptop, to transfer measurements from the Osstell Beacon to the user's account in OsstellConnect.

Osstell Key
REF 100710

You should use this USB cable for charging the Osstell Beacon.

Beacon USB Cable, C
REF 100709

Contact us

W&H Dentalwerk Bürmoos GmbH
Ignaz-Glaser-Straße 53, Postfach 1
5111 Bürmoos, **Austria**
t + 43 6274 6236-0
f + 43 6274 6236-55
office@wh.com
wh.com

W&H Sterilization Srl.
Via Bolgara, 2
24060 Brusaporto (BG), **Italy**
t + 39 035-66 63 000
f + 39 035-50 96 988
office.sterilization@wh.com
wh.com

40145 AEN Rev. 016 / 19.11.2021
Subject to alterations